

The logo consists of the text "Energy in action.™" in a blue, sans-serif font, positioned within a large, light brown rounded rectangle. Below this rectangle are three smaller, light brown rounded rectangles of varying sizes, arranged in a descending staircase pattern. At the bottom right of the graphic is the AGL logo, which features a blue square with a white sunburst icon and the letters "AGL" in white.The AGL logo is a blue square containing a white sunburst icon and the letters "AGL" in white.

AGL UPSTREAM INVESTMENTS PTY LTD

GLOUCESTER GAS PROJECT

**July 2015 Monitoring Report:
Tiedman Irrigation Program
EPL 20358**

Reporting Period: May 2015

AGL Upstream Investments Pty Ltd

ABN 58 115 063 744

Locked Bag 1837, St Leonards NSW 2065

Level 22, 101 Miller Street, North Sydney NSW 2060

Telephone: 02 9921 2999 Facsimile: 02 9921 2474

Complaints Line (24 hours): 1300 799 716



Foreword

PREMISES	Gloucester Coal Seam Gas Project Bucketts Way Gloucester NSW 2422
LICENCE DETAILS	<u>Environment Protection Licence 20358</u>
LICENCEE	AGL Upstream Investments Pty Limited (AGL)
LICENCEE'S ADDRESS	Locked Bag 1837, North Sydney, NSW 2060
MONITORING DATE	18 May 2015
MONITORING BY	Jacobs, on behalf of AGL
ANALYSIS BY	East West, Tamworth (Work order number: EW150487)
DATE AGL OBTAINED DATA	13 July 2015
REPORT DATE	21 July 2015
REPORT PREPARED BY	James Duggleby, Senior Hydrogeologist

Table 1: Soil monitoring points, Irrigation Program (as per EPL 20358).....	5
Table 2: Analytes monitored and frequency (as per EPL 20358) – monitoring points 53 – 81 (soil monitoring points).....	7
Table 3: May 2015 soil monitoring results for monitoring points 53 - 81 (soil monitoring points).....	8
Figure 1: Location of soil monitoring points: Irrigation Program (as per EPL 20358)	6



Introduction

AGL is proposing to build the Gloucester Gas Project (GGP) which comprises several stages of development facilitating the extraction of coal seam gas (CSG) from the Gloucester Basin. Concept plan and project approval (Part 3A Approval) for the Stage 1 Gas Field Development Area (GFDA) was granted on 22 February 2011 under Part 3A of the Environmental Planning and Assessment Act (1979) (EP&A Act). In addition the project received approval under the Environment Protection and Biodiversity Conservation Act (1999) (EPBC Act) (EPBC Approval) on 11 February 2013.

The GGP will involve depressurising of deep groundwater and the extraction of gas from multiple coal seams within the Gloucester coal measures. Target coal seam depths will vary from site to site but are expected to range between 200 and 1,000m below ground level (mbgl). The current GGP includes the construction, operation, and decommissioning of not more than 110 coal seam gas wells and associated infrastructure, including gas and water gathering lines within the Stage 1 GFDA.

Conditional approval was granted to AGL by the Division of Resources and Energy (DRE) in 2012 to implement a program (the Tiedman Irrigation Program) for produced water storage, blending, and irrigation activities on AGL's Tiedman property at Stratford in New South Wales (NSW). Approval was extended to 30 April 2015 by the Office of Coal Seam Gas (OCSG) on 4 July 2014; following which, AGL did not seek further extension and on 30 April 2015 the irrigation approval expired. On 6 August 2014, the NSW Environment Protection Authority (EPA) issued Environment Protection Licence (EPL) 20358 that covers the CSG exploration, assessment and production activities in the GGP (EPA, 2014).

The Tiedman Irrigation Program is divided into two areas, being Stage 1A and 1B (Figure 1):

- > Stage 1A is serviced by a lateral move irrigator which irrigates a maximum area of 18.2 ha, including 16 plots, two crop systems (annuals and perennials), and four soil treatment depths.
- > Stage 1B comprises an area of 8.6 ha (of which approximately 4ha is currently under irrigation), including four plots and a mix of annual and perennial pasture.

This Monitoring Report relates to the monitoring activities specified in Part 5, Monitoring and Recording Conditions, of Environment Protection Licence 20358 (the Licence). This report relates specifically to the monitoring surrounding the Tiedman Irrigation Program, and details:

1. Monitoring results from the 6-monthly soil sampling event at the Tiedman Irrigation Program (18 May 2015).

As per the Licence, the monitoring encompasses the monitoring points at the locations as shown in Table 1 and Figure 1.

The specific analytes and sample frequency are shown in Table 2. The monitoring results for this reporting period are shown in Table 3.

The monitoring points that are the subject of this report are part of the GGP soil monitoring network, as described in AGL's Soil Quality Monitoring and Management Program (FK, 2012). Soil monitoring results for the Irrigation program are presented in a baseline water monitoring report (FK, 2013a) and six-monthly compliance reports (FK, 2013b, 2014a and 2014b; and Jacobs, 2015).

For monitoring points 53 – 68 (Stage 1A), samples were taken manually using a hand auger at 20 cm intervals down to the base of the respective treatment depth of 120 cm or until refusal on rock, and each depth interval from each soil sample location was be sampled and analysed.

For monitoring points 69 -81 (Stage 1B), samples were taken manually using a hand auger at 20 cm intervals down to the base of the respective treatment depth of 120 cm or until refusal on rock at 20 cm, and a lateral composite sample was formed from the different sample locations from the same depth profile located in the Stage 1B area and analysed.

The soil samples were analysed by East West Enviroag Pty Ltd, Tamworth, NSW, a National Association of Testing Authorities (NATA) and the Australasian Soil and Plant Analysis Council (ASPAC) accredited laboratory.

This report is prepared in accordance with the *Requirements for Publishing Pollution Monitoring Data* (EPA, 2012) (Publication Requirements).

Water monitoring data collected in November for the Tiedman Irrigation Program (monitoring points 27 – 52) were published in an earlier report (AGL, 2015) in accordance with the *Requirements for Publishing Pollution Monitoring Data* (EPA, 2012) (Publication Requirements).

The remaining water and land monitoring points in EPL 20358 will be reported in subsequent reports when the requirement for monitoring is triggered.

More information on the groundwater monitoring of the GGP is available on the project website: agl.com.au/Gloucester




Table 1: Soil monitoring points, Irrigation Program (as per EPL 20358)

EPA ID no.	AGL ID	Location (Irrigation Area)	Type of monitoring point	Easting	Northing
53	CS1	Stage 1A	Soil quality	402197.4	6449446.6
54	CS2	Stage 1A	Soil quality	402238.8	6449386.7
55	CS3	Stage 1A	Soil quality	402280.6	6449326.7
56	CS4	Stage 1A	Soil quality	402343.7	6449423.3
57	CS5	Stage 1A	Soil quality	402385.2	6449363.4
58	CS6	Stage 1A	Soil quality	402426.6	6449302.9
59	CS7	Stage 1A	Soil quality	402490.2	6449399.8
60	CS8	Stage 1A	Soil quality	402531.7	6449339.6
61	CS9	Stage 1A	Soil quality	402173.9	6449280.2
62	CS10	Stage 1A	Soil quality	402214.8	6449220.5
63	CS11	Stage 1A	Soil quality	402256.4	6449160.1
64	CS12	Stage 1A	Soil quality	402321.4	6449256.5
65	CS13	Stage 1A	Soil quality	402361.5	6449197.0
66	CS14	Stage 1A	Soil quality	402402.4	6449136.6
67	CS15	Stage 1A	Soil quality	402466.6	6449233.2
68	CS16	Stage 1A	Soil quality	402508.1	6449173.2
69	CS17	Stage 1B	Soil quality	402226.4	6448943.4
70	CS18	Stage 1B	Soil quality	402202.8	6448877.5
71	CS19	Stage 1B	Soil quality	402317.4	6448868.3
72	CS20	Stage 1B	Soil quality	402413.1	6448904.5
73	CS21	Stage 1B	Soil quality	402390.9	6448791.5
74	CS23	Stage 1B	Soil quality	402176.6	6448732.1
75	CS22	Stage 1B	Soil quality	402190.3	6448810.1
76	CS24	Stage 1B	Soil quality	402297.1	6448738.4
77	CS25	Stage 1B	Soil quality	402379.8	6448753.0
78	CS26	Stage 1B	Soil quality	402341.7	6448689.7
79	CS27	Stage 1B	Soil quality	402510.5	6448662.0
80	CS28	Stage 1B	Soil quality	402443.7	6448603.1
81	CS29	Stage 1B	Soil quality	402481.8	6448564.1

Coordinate reference system: Map Grid of Australia 1994, Zone 56

Gloucester Gas Project – Tiedman Irrigation Program Soil Monitoring Sites



	Author: Upstream Gas	<p>Kilometres 0 0.05 0.1 Scale 1:3,000 @A3 Geocentric Datum of Australia 1994</p>	<p>Legend</p> <ul style="list-style-type: none"> ● Soil Monitoring Sites □ Property Boundaries ■ Irrigation Areas ■ Stage 1A ■ Stage 1B
	Date: 02/02/2015		
	Ref: 3190r1		

Disclaimer: While AGL has taken great care and attention to ensure the accuracy of the data represented on this map, no liability shall be accepted for any errors or omissions. No part of this map may be reproduced without prior permission of AGL.

Sources: AGL Energy Limited, MapData Sciences, SKM

Figure 1: Location of soil monitoring points: Irrigation Program (as per EPL 20358)

Table 2: Analytes monitored and frequency (as per EPL 20358) – monitoring points 53 – 81 (soil monitoring points)

Analyte	Units of measure	Monitoring points		Monitoring points	
		53 - 68		69 - 81	
		Frequency	sampling method	Frequency	sampling method
Aluminium	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Available phosphorus	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Boron	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Calcium	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Cation Exchange Capacity	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Chloride	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Copper	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Electrical conductivity	microsiemens per metre	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Exchangeable sodium percentage	percent	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Iron	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Magnesium	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Manganese	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Nitrogen (nitrate)	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Organic carbon	percent	Every 6 months	Special Method 2	Every 6 months	Special Method 6
pH	pH	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Phosphorus	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Potassium	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Sodium	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Soil texture	Visible	Every 6 months	In situ	Every 6 months	In situ
Sulfate	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6
Zinc	milligrams per kilogram	Every 6 months	Special Method 2	Every 6 months	Special Method 6

Notes:

- > Special Method 2 – Samples will be taken at 20 cm intervals down to the base of the respective treatment depth of 120 cm (or until refusal on rock). For each of the four treatments, each depth interval from each soil sample location will be sampled and analysed.
- > Special Method 6 - Samples will be taken at 20 cm intervals down to the base of the respective treatment depth of 120 cm (or until refusal on rock). A lateral composite sample will be formed from the different sample locations from the same depth profile located in the Stage 1B area and analysed.
- > Depth increments (cm below ground):
 - » 0 – 20
 - » 20 – 40
 - » 40 – 60
 - » 60 – 80
 - » 80 – 100
 - » 100 – 120

Soil monitoring results

Table 3: May 2015 soil monitoring results for monitoring points 53 - 81 (soil monitoring points)

Analyte	Units of measure	Monitoring point	53										54										55										56										57										58									
			CS-1										CS-2										CS-3										CS-4										CS-5										CS-6									
			18/05/2015										18/05/2015										18/05/2015										18/05/2015										18/05/2015										18/05/2015									
			13/07/2015										13/07/2015										13/07/2015										13/07/2015										13/07/2015										13/07/2015									
Location																																																														
Depth increment (cm bal)	0-20	20-40	40-60	60-80	80-100	100-120	0-20	20-40	40-60	60-80	80-100	100-120	0-20	20-40	40-60	60-80	80-100	100-120	0-20	20-40	40-60	60-80	80-100	100-120	0-20	20-40	40-60	60-80	80-100	100-120	0-20	20-40	40-60	60-80	80-100	100-120	0-20	20-40	40-60	60-80	80-100	100-120																				
Sample date																																																														
Date AGI obtained																																																														
Lowest obtainable reading																																																														
Aluminium	mg/kg	0.5	0.9	299	336	217	95	49.2	163	528	471	333	180	126	0.8	23.3	1.2	0.3	0.4	0.6	0.8	275	357	142	97.1	105	3.7	1.6	2.8	0.4	0.7	0.4	0.4	0.5	3.7	4.6																										
Available phosphorus	mg/kg	1	81.7	14.6	9.87	7.36	9.47	14.9	16.9	7.4	4.11	9.71	3.46	6.36	124	20	30.4	43.9	47.6	26.1	241	19.7	12.6	15.2	10.7	10	150	26.3	17	26.5	12.8	11.3	15.9	8.12	8.36	11.6																										
Boron	mg/kg	0.2	0.48	0.33	0.2	<0.2	<0.2	<0.2	0.36	0.24	<0.2	<0.2	<0.2	<0.2	0.38	<0.2	<0.2	<0.2	<0.2	<0.2	0.37	0.3	<0.2	<0.2	<0.2	<0.2	0.62	0.26	0.25	0.3	0.49	0.48	0.28	<0.2	<0.2	<0.2																										
Calcium	mg/kg	20	2088	1044	375	253	184	237	1330	684	353	185	139	122	1685	456	643	806	550	616	3507	823	310	259	204	165	2679	927	807	2003	1617	2203	2380	1640	1024	763																										
Cation Exchange Capacity	Cmol/kg ^a	na	16.6	20.5	22.7	20.9	16	17.5	18.1	20.7	22.1	18.7	17.7	16.4	16.6	12.4	19.2	20.9	19.3	17.9	24.8	19.6	20	18.7	19.1	20.5	22.8	14.8	13.9	19.1	14.9	22.4	26.4	22.7	21.2	20.7																										
Chloride	mg/kg	5	69.8	133	214	207	237	260	122	213	259	202	181	191	104	129	133	150	161	171	38.6	137	223	205	194	219	134	131	101	89	52	129	246	277	234	228																										
Copper	mg/kg	0.5	0.71	0.59	0.72	0.53	0.66	<0.5	0.7	0.55	0.52	0.56	0.76	0.94	0.84	0.76	0.7	0.82	0.92	1.05	0.91	0.65	0.74	0.81	1.13	<0.5	0.86	0.8	0.95	1.04	0.89	0.69	0.69	1.01	1.6	1.39																										
Electrical conductivity	µS/m	1000	24000	27000	23000	22000	22000	26000	25000	28000	27000	20000	20000	9000	38000	28000	28000	28000	28000	26000	24000	28000	29000	27000	23000	25000	38000	24000	19000	23000	20000	28000	34000	35000	28000	23000																										
Exchangeable sodium percentage	%	na	8.77	9.69	12.1	13.4	16.8	18.3	11.3	16.8	18.3	11.3	9.9	12.2	13.4	15.8	16.9	8.69	10.7	12.5	13.3	14.8	13	6.08	11.7	14.5	17.8	18.9	19.5	9.22	10	10.1	7.66	11.4	9.14	7.76	11.6																									
Iron	mg/kg	0.5	130	109	101	63	46.2	39.4	113	60.7	108	95.9	73.2	26.6	63	107	88.5	94.2	68.1	136	109	118	60.6	58.1	41.1	51.3	120	164	201	184	71.2	38.8	39.1	38.4	49.7	52.1																										
Magnesium	mg/kg	10	499	1141	1650	1663	1300	1440	826	1057	1419	1323	1390	1316	743	974	1564	1615	1568	1391	625	1136	1307	1414	1523	1647	769	973	952	858	553	1041	1422	1416	1550	1637																										
Manganese	mg/kg	0.5	16.6	1.99	0.68	<0.5	1.01	0.52	3.97	1.99	0.75	0.61	<0.5	<0.5	5.48	2.85	3.14	3.31	7.97	12.9	10.7	1.1	<0.5	<0.5	0.56	14.2	18.6	21.1	22.5	18.7	2.41	0.74	0.56	1.93	0.65																											
Nitrogen (nitrate)	mg/kg	0.5	4.4	0.7	0.9	<0.5	1.2	1	4.3	1.3	<0.5	2.2	<0.5	<0.5	4.6	1.3	0.6	1.2	0.6	<0.5	6.5	1.5	<0.5	<0.5	<0.5	<0.5	5	2.4	<0.5	3.3	4.8	1.4	0.7	<0.5	1.1	<0.5																										
Organic carbon	%	0.05	1.83	0.88	0.5	0.29	0.45	0.2	1.15	0.83	1.59	0.37	0.14	0.1	1.19	0.51	0.43	0.66	1.86	0.43	2.07	0.63	0.41	0.31	0.16	0.14	1.43	0.76	0.5	0.94	1.11	0.42	0.25	0.99	0.48	0.22																										
pH ^b	pH units	na	5.68	4.19	4.14	4.18	4.18	4.3	4.5	4.11	4.12	4.18	4.13	4.25	6.41	4.84	5.48	5.76	5.72	5.96	6.56	4.32	4.26	4.27	4.3	4.35	6.64	5.5	5.31	5.83	6.42	6.38	6.37	6.15	5.37	5.32																										
Phosphorus	mg/kg	37	484	91.4	56.6	49.6	<37.5	47.1	173	96.2	65.3	68.6	54.3	41.7	362	91.4	110	178	140	173	646	107	64.1	54.7	<37.5	40.2	559	145	103	198	173	71	48.9	62.8	82.6	76.7																										
Potassium	mg/kg	10	189	193	246	230	262	218	264	281	308	261	408	330	279	239	430	254	228	220	213	241	260	294	302	343	753	215	328	439	225	333	228	229	246	338																										
Sodium	mg/kg	10	334	458	632	643	619	733	468	471	622	575	645	637	331	303	552	639	655	619	347	528	668	764	831	922	484	340	324	337	393	470	471	502	565	596																										
Soil texture ^c	Class	na	CL	LMC	LMC	MC	MC	MC	LMC	MC	MC	MC	MC	MC	CL	LMC	MC	MC	MC	MC	CL	LMC	MC	MC	MC	CL	CL	LMC	FSC	CL	MC	MC	LMC	LMC	LMC	LMC																										
Sulfate	mg/kg	9	143	150	58.8	41.1	34.2	45.6	139	121	61.8	49.8	46.2	53.4	381	281	256	174	136	97.2	158	158	150	104	61.8	64.5	223	159	137	159	138	195	195	178	160	78																										
Zinc	mg/kg	0.5	1.64	<0.5	<0.5	<0.5	0.61	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.79	0.54	0.69	1.08	0.66	<0.5	4.87	<0.5	<0.5	<0.5	0.6	0.87	2.7	0.91	0.83	0.95	1.83	0.54	<0.5	0.66	1.82	1.55																										

Analyte	Units of measure	Monitoring point	59										60										61										62										63										64									
			CS-7										CS-8										CS-9										CS-10										CS-11										CS-12									
			18/05/2015										18/05/2015										18/05/2015										18/05/2015										18/05/2015										18/05/2015									
			13/07/2015										13/07/2015										13/07/2015										13/07/2015										13/07/2015										13/07/2015									
Location																																																														
Depth increment (cm bal)	0-20	20-40	40-60	60-80	80-100	100-120	0-20	20-40	40-60	60-80	80-100	100-120	0-20	20-40	40-60	60-80	80-100	100-120	0-20	20-40	40-60	60-80	80-100	100-120	0-20	20-40	40-60	60-80	80-100	100-120	0-20	20-40	40-60	60-80	80-100	100-120	0-20	20-40	40-60	60-80	80-100	100-120																				
Sample date																																																														
Date AGI obtained																																																														
Lowest obtainable reading																																																														
Aluminium	mg/kg	0.5	0.7	235	263	113	92.8	83.9	1.9	13.8	26.8	47.1	60	47.8	5.8	238	101	101	82.4	1.7	112	26.1	0.8	<0.5	<0.5	7.5	78.6	69.1	19.5	14.2	156	48.7	48.7	<0.5	<0.5	<0.5																										
Available phosphorus	mg/kg	1	74.4	10.8	5.13	6.91	12.9	7.76	44	23.3	27.8	16.3	7.55	23.9	30.9	11	51.2	8.1	52.1	9.66	61.5	71.1	6.56	9.62	12.1	6.61	37	21.4	16.8	13.5	62.1	7.74	18.9	11.8	50.6	9.73																										
Boron	mg/kg	0.2	0.42	0.23	<0.2	<0.2	<0.2	<0.2	0.33	0.26	0.23	<0.2	<0.2	<0.2	0.6	0.37	<0.2	<0.2	<0.2	<0.2	0.56	0.2	<0.2	<0.2	<0.2	0.55	0.27	<0.2	<0.2	0.29	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2																										
Calcium	mg/kg	20	1270	576	374	202	216	187	1660	1522	668	470	854	422	2400	792	283	188	241	162	1479	504	235	158	165	152	1332	377	207	311	1152	432	281	251	445	316																										
Cation Exchange Capacity	Cmol/kg ^a	na	15.6	18.2	19.1	16.1	17	17.9	18.3	17.2	17.1	18.5	23.6	20.9	22.8	20.5	19.5	16.1	17.3	17.5	15.3	18.6	22.1	17.8	13.1	10.6	15.9	10.5	10.4	8.73	14.2	19.8	18.6	16.6	17	15.4																										
Chloride	mg/kg	5	273	271	268	253	234	254	123	204	344	347	385	369	161	204	123	128	170	238	84.3	208	353	340	375	300	116	133	100	73.3	98.8	289	333	234	198	173																										
Copper	mg/kg	0.5	1.19	0.75	0.89	<0.5	1.08	1.16	0.78	0.86	0.93	1.06	1.17	1.08	0.85	0.74	0.96	1.04	1.16	1.03	1.17	0.75	0.75	0.73	0.73	0.74	0.84	0.95	0.9	0.81	1.06	0.9	0.75	0.98	1.08	1.04																										
Electrical conductivity	µS/m	1000	38000	34000	30000	27000	27000	32000	31000	40000	39000	39000	39000	30000	31000	22000	18000	22000	26000	22000	27000	37000	31000	28000	27000	26000	19000	14000	12000	24000	33000	31000	25000	26000	20000	20000																										
Exchangeable sodium percentage	%	na	14.9	13	14.9	19	20.9	22.1	12	12.2	18.4	20.1	20.1	21.7	10.6	11.1	12.3	15.5	17.2	18.7	12.3	15.2	19.3	20.9	21.3	22.5	12.6	10.9	10.5	10.8	9																															

References

AGL, 2015. Gloucester Gas Project January 2015 Monitoring Report: Tiedman Irrigation Program, EPL 20258, Reporting period: November – December 2014.

http://www.agl.com.au/~media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/Gloucester%20Document%20Repository/EPL%20Monitoring%20Reports/20150113_GGP%20Water%20Monitoring%20Report%20%20%20Waukivory%20Pilot%20Program%20%20%20Tiedman%20Irrigation%20Program%20%20%20January%202015.pdf

Environment Protection Authority (EPA), 2004. Approved Methods for the Sampling and Analysis of Water Pollutants in New South Wales, The Department of Environment and Conservation, Sydney, Australia. Available online:

<http://www.environment.nsw.gov.au/resources/water/approvedmethods-water.pdf>

Environment Protection Authority (EPA), 2014. Environment Protection Licence 20358. Available online: [Environment Protection Licence 20358](#)

Fodder King (FK), 2012. Soil Quality Monitoring and Management Program. Available online:

<http://www.agl.com.au/~media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/CSG%20and%20the%20Environment/Gloucester/Plans%20and%20Proposals/2013/May/Gloucester%20Soil%20Management.pdf>

Fodder King (FK), 2013a. Soil quality monitoring and management, Tiedman Irrigation Trial, Report 1 – Pre Irrigation (activities to 31 March 2013), Report for AGL Upstream Investments Pty Ltd, May 2013. Available online:

<http://www.agl.com.au/~media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/CSG%20and%20the%20Environment/Gloucester/Assessments%20and%20Reports/2013/Soil%20Quality%20Monitoring%20and%20Management%20Report%201%20Pre%20Irrigation.pdf>

Fodder King (FK), 2013b. Soil quality monitoring and management, Tiedman Irrigation Trial, Report 2 – Irrigation (activities from 1 April to 30 June 2013), Report for AGL Upstream Investments Pty Ltd, August 2013. Available online:

http://www.agl.com.au/~media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/CSG%20Community%20News/Gloucester/Community%20Updates/2013/September/FK%20AGL%20DRE%20Rpt%202013_Final_LowRes.pdf

Fodder King (FK), 2014a. Soil quality monitoring and management, Tiedman Irrigation Trial, Report 3 – Irrigation (activities from 1 July to 31 December 2013), Report for AGL Upstream Investments Pty Ltd, January 2014. Available online:

<http://www.agl.com.au/~media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/CSG%20and%20the%20Environment/Gloucester/Assessments%20and%20Reports/2014/20140101Soil%20Quality%20Monitoring%20and%20Management%20Program%20%20Report%203%20Irrigation%20Activities%20from%202013%20July%20to%202013%20December%202013.pdf>

Fodder King (FK), 2014b. Soil quality monitoring and management, Tiedman Irrigation Trial, Report 4 – Irrigation (activities from 1 January to 4 July 2014), Report for AGL Upstream Investments Pty Ltd, August 2014. Available online:

http://www.agl.com.au/~media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/Gloucester%20Document%20Repository/Irrigation%20Program/20140828_Soil%20Quality%20Monitoring%20and%20Management%20Program%20%20%20Compliance%20Report%204%20%20%20Irrigation.pdf

Jacobs, 2015. Tiedman Irrigation Program, Soil quality monitoring and management program, Report 5: irrigation, activities from 4 July 2014 to 31 December 2014, January 2015 Compliance Report, Report for AGL Upstream Investments Pty Ltd, February 2015. Available online:

http://www.agl.com.au/~media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/Gloucester%20Document%20Repository/Irrigation%20Program/20150227_Soil%20Quality%20Monitoring%20and%20Management%20Program%20%20%20Compliance%20Report%205%20Irrigation.pdf

Rayment, G.E. & Higginson, F.R., 1992. Australian Laboratory Handbook of Soil and Water Chemical Methods. Inkata Press

The State of NSW and Environment Protection Authority (EPA), 2012. Requirements for publishing pollution monitoring data. Environment Protection Authority, Sydney, Australia. Available online: <http://www.epa.nsw.gov.au/resources/licensing/130742reqpubpmdata.pdf>

