

AGL Macquarie Ambient Air Quality Monthly Return

IMPORTANT NOTICE: The information contained in this report is intended for the use of AGL and not intended for use by any third party. Ampcontrol has prepared this report based upon a scope of work agreed with AGL. Ampcontrol is not responsible for any errors or omissions, or for any results obtained from the use of this information by any other person. All information in the report is provided "as is" with no guarantee of completeness, accuracy, timeliness or of the results obtained from use of such information by any other person. Whilst every precaution has been taken to ensure that the content of this report is accurate, errors can occur. Ampcontrol disclaims all or any guarantees, undertakings and warranties, express or implied, and is not liable for any loss or damage whatsoever arising out of or in connection with the use or reliance upon the information in this report by any other person. Other persons should not rely upon the report or the accuracy or completeness of the report and must accept sole responsibility associated with the use of the material in this report, irrespective of the purpose for which such use or results are applied.


Reporting Period:	1/11/2025 to 30/11/2025 inclusive	Date required by: 15/12/25
Information supplied by:	Ampcontrol Environmental Services	Date: 22/12/25

Pollutant	Unit of Measure	No of samples required (continuous monitoring)	No of samples collected and analysed (availability %)	Lowest sample value 1 hour average	Mean of samples	Highest sample value 1 hour average
Monitoring Point 18 Ravensworth Village						
SO2	pphm		95.6	0.0	0.1	2.5
NO2	pphm		95.6	0.2	1.4	3.8
NOx	pphm		95.6	0.2	2.9	20.5
Fluoride	ug/m3	7 day averages	100.0%	0.004	0.015	0.030
Monitoring Point 16 Lake Liddell Recreation Area						
SO2	pphm		86.4	0.0	0.1	7.4
NO2	pphm		87.2	0.1	0.9	3.4
NOx	pphm		87.2	0.1	1.5	8.1
Monitoring Point 17 Energy Australia Depot Mitchell Line Rd						
SO2	pphm		95.8	0.0	0.1	3.9
NO2	pphm		95.6	0.1	1.0	4.2
NOx	pphm		95.6	0.1	1.5	16.5
Fluoride	ug/m3	7 day averages	100.0%	0.004	0.015	0.021

Table 1 Monthly return data.

Ravensworth / Lake Liddell / Mitchell Line Rd (EA Depot) NOx 1Hr Avg


November 2025



Graph 1 NOx 1hr averages

Ravensworth / Lake Liddell / Mitchell Line Rd (EA Depot) NO2 1Hr Avg


November 2025




Graph 2 NO₂ 1hr averages

Ravensworth / Lake Liddell / Mitchell Line Rd (EA Depot) SO2 1Hr Avg

November 2025



Graph 3 SO2 1hr averages



Graph 4 Fluoride monthly averages.