



Energy in
action.TM

AGL

AGL UPSTREAM INVESTMENTS PTY LTD

GLOUCESTER GAS PROJECT

**December 2015 Monitoring Report:
Tiedman Irrigation Program
EPL 20358**

Reporting Period: November 2015

AGL Upstream Investments Pty Ltd
ABN 58 115 063 744
Locked Bag 1837, St Leonards NSW 2065
Level 22, 101 Miller Street, North Sydney NSW 2060
Telephone: 02 9921 2999 Facsimile: 02 9921 2474
Complaints Line (24 hours): 1300 799 716

Foreword

PREMISES	Gloucester Coal Seam Gas Project Bucketts Way Gloucester NSW 2422
LICENCE DETAILS	Environment Protection Licence 20358
LICENCEE	AGL Upstream Investments Pty Limited (AGL)
LICENCEE'S ADDRESS	Locked Bag 1837, North Sydney, NSW 2060
MONITORING DATE	16, 17, 18, and 19 November 2015
MONITORING BY	Parsons Brinckerhoff, on behalf of AGL
ANALYSIS BY	ALS Laboratory, Smithfield (Work orders: ES1536395, ES1536521, ES1536682)
DATE AGL OBTAINED DATA	11 December 2015
REPORT DATE	30 December 2015
REPORT PREPARED BY	Nicola Fry, Hydrogeologist

Table 1: Water quality monitoring points: Irrigation Program (as per EPL 20358).....	4
Table 2: Analytes monitored and frequency- monitoring points 27 – 52, as per the EPL 20358 version valid at the time of sampling (version 17 September 2015).....	6
Table 3: November 2015 water monitoring results for monitoring points 27 – 39	7
Table 4: November 2015 water monitoring results for monitoring points 40 – 52	8
Table 5: Continuous monitoring results for monitoring points 30, 31, 33, 34, 39 - 44	9
Figure 1: Location of groundwater and surface water quality monitoring points: Irrigation Program (as per EPL 20358)	5

Introduction

AGL is proposing to build the Gloucester Gas Project (GGP) which comprises several stages of development facilitating the extraction of coal seam gas (CSG) from the Gloucester Basin. Concept plan and project approval (Part 3A Approval) for the Stage 1 Gas Field Development Area (GFDA) was granted on 22 February 2011 under Part 3A of the Environmental Planning and Assessment Act (1979) (EP&A Act). In addition the project received approval under the Environment Protection and Biodiversity Conservation Act (1999) (EPBC Act) (EPBC Approval) on 11 February 2013.

The GGP will involve depressurising of deep groundwater and the extraction of gas from multiple coal seams within the Gloucester coal measures. Target coal seam depths will vary from site to site but are expected to range between 250 and 1,000 m below ground level (mbgl). The current GGP includes the construction, operation, and decommissioning of not more than 110 coal seam gas wells and associated infrastructure, including gas and water gathering lines within the Stage 1 GFDA. A comprehensive groundwater investigation (Phase 2 Groundwater Investigations) was completed in early 2012 to confirm the hydrogeological conceptual model across the Stage 1 GFDA (PB, 2012). Surface water and groundwater investigations are ongoing.

This Monitoring Report relates to the water monitoring activities specified in Part 5, Monitoring and Recording Conditions, of the Environment Protection Licence 20358. This report relates specifically to the monitoring surrounding the Tiedman Irrigation Program, and details:

1. Monitoring results from the quarterly water sampling event at the Tiedman Irrigation Program (16 – 19 November 2015).

As per the Licence, the monitoring encompasses the monitoring points at the locations as shown in Table 1 and Figure 1. The specific analytes and frequency tested are shown in Table 2. The monitoring results for this reporting period are shown in Table 3, Table 4, and Table 5.

The monitoring points that are the subject of this report are part of the GGP groundwater monitoring network, as described in AGL's Water Management Plan for the Tiedman Irrigation Program (AGL, 2012a) and Soil Quality Monitoring and Management Program (AGL, 2012b)). Water monitoring results for the irrigation program are presented in a baseline water monitoring report (PB, 2013a) and six-monthly compliance reports (PB, 2013a, 2013b, 2014a, 2014b, 2015a, and 2015b).

The following sampling methods were used to obtain surface water and groundwater samples:

- Submersible 12V pump at the groundwater monitoring bores screened within relatively permeable geological materials: TMB01, TMB02 and TMB03. A minimum of three well volumes was purged prior to sampling.
- Submersible 12V pump at the seepage monitoring bores TMB04 and TMB05 which are screened within material of very low permeability. The physical parameters of the purged groundwater were initially tested, then the bores were purged dry and if any inflow was observed within 12 hours then physical parameters were tested again and a sample taken for analysis.
- Disposable bailer at the shallow perched soil water piezometers (with piezometers purged dry and if any inflow was observed within 12 hours then physical parameters were tested again and a sample taken for analysis).
- In-situ snap sampler for groundwater monitoring bore S4MB01, screened within material of relatively low permeability.
- Grab sample using a telescopic sampler for surface water and dam water samples.

EC and pH were monitored during purging to ensure that they had stabilised prior to sample collection. The water quality samples are analysed by an external NATA certified laboratory (ALS Environmental, Smithfield), in accordance with the EPA Approved Methods Publication "Approved Methods for the Sampling and Analysis of Water Pollutants in New South Wales" (EPA, 2004), with the exception of calcium, which underwent filtration rather than acid extraction as a preliminary treatment prior to analysis.

This report is prepared in accordance with the *Requirements for Publishing Pollution Monitoring Data* (EPA, 2012) (Publication Requirements).

The remaining water and land monitoring points in EPL 20358 will be reported in subsequent reports when the requirement for monitoring is triggered.

More information on the groundwater monitoring of the GGP is available on the project website:
agl.com.au/Gloucester

Table 1: Water quality monitoring points: Irrigation Program (as per EPL 20358)

EPA ID no.	Monitoring Point	Type of monitoring point	Easting (m)	Northing (m)
27	TND	Produced water storage dam	Tiedman property	
28	TSD	Produced water storage dam	Tiedman property	
29	TED	Produced water storage dam	Tiedman property	
30	TMB04	Groundwater quality monitoring	402558.1	6448921.7
31	TMB05	Groundwater quality monitoring	402650.1	6448725.3
33	CDE	Surface water quality monitoring – catch dam east	Tiedman property	
34	CDW	Surface water quality monitoring – catch dam west	Tiedman property	
35	FSW01	Surface water quality monitoring	402001	6449646
36	ASW01	Surface water quality monitoring	401711.09	6449092.2
37	TSW01	Surface water quality monitoring	401993.98	6449416.7
38	TSW02	Surface water quality monitoring	401922.1	6448740.9
39	TMB01	Groundwater quality monitoring	401996.98	6449419.7
40	TMB02	Groundwater quality monitoring	401905.11	6449100.6
41	TMB03	Groundwater quality monitoring	401969.53	6448755
42	S4MB01	Groundwater quality monitoring	402581.88	6449409.7
43	TCMB01	Groundwater quality monitoring	402501.7	6448899
44	TTMB02	Groundwater quality monitoring	402699	6449358
45	SP1B	Soil water quality monitoring	402570.3	6449381.3
46	SP2B	Soil water quality monitoring	402444.2	6449100.1
47	SP4B	Soil water quality monitoring	402252	6449131.3
48	SP6B	Soil water quality monitoring	402103.5	6449178.6
49	SP7B	Soil water quality monitoring	402144.8	6449292.1
50	SP8B	Soil water quality monitoring	402159.1	6449454.8
51	SP9B	Soil water quality monitoring	402387.5	6449016.9
52	SP10B	Soil water quality monitoring	402344.2	6448840.6

Coordinate reference system: Map Grid of Australia 1994

Figure 1: Location of groundwater and surface water quality monitoring points: Irrigation Program (as per EPL 20358)

**PARSONS
BRINCKERHOFF**

**GLOUCESTER GAS PROJECT
AGL UPSTREAM INVESTMENTS PTY LTD**




Table 2: Analytes monitored and frequency- monitoring points 27 – 52, as per the EPL 20358 version valid at the time of sampling (version 17 September 2015)

Analyte	Units of measure	Monitoring points																
		27		28		29		30,31		33,34		35, 36,37,38		39,40,41,42,43,44		45,46,47,48,49,50,51, 52		
		Frequency	sampling method	Frequency	sampling method	Frequency	sampling method	Frequency	sampling method	Frequency	sampling method	Frequency	sampling method	Frequency	sampling method	Frequency	sampling method	
Aluminium	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Ammonia	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Arsenic	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Barium	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Benzene	micrograms per litre ^a					Weekly ^b	Grab sample	Special Frequency 1	Grab sample			Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Beryllium	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Bicarbonate	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample									
Boron	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Cadmium	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Calcium	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Chloride	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample									
Chromium	milligrams per litre									Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Cobalt	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Copper	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Dissolved oxygen	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Electrical conductivity	microsiemens per centimetre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Special Frequency 8	Special method 5	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Ethyl benzene	micrograms per litre ^a					Weekly ^b	Grab sample*	Special Frequency 1	Grab sample			Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Iron	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Lead	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Magnesium	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Manganese	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Mercury	milligrams per litre									Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Molybdenum	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Nickel	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Nitrate	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Nitrite	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample			Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
pH	pH	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Phosphorus (total)	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Potassium	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Reactive Phosphorus	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample									
Redox potential	millivolts	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Selenium	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Silica	milligrams per litre									Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Sodium	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Sodium Adsorption Ratio	sodium adsorption ratio			Quarterly	Special Method 4													
Standing water level	meters (Australian Height Datum)							Special frequency 8	Special method 5				Special frequency 8	Special method 5	Quarterly	Special method 1		
Strontium (dissolved)	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Sulfate	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Toluene	micrograms per litre ^a					Weekly ^b	Grab sample*	Special Frequency 1	Grab sample			Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Total alkalinity	milligrams per litre									Each overflow event	Grab sample			Quarterly	Grab sample	Quarterly	Grab sample	
Total dissolved solids	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Total organic carbon	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample									
Total suspended solids	milligrams per litre									Each overflow event	Grab sample	Quarterly	Grab sample					
Uranium	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Vanadium	milligrams per litre	Quarterly	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Xylene	micrograms per litre ^a					Weekly ^b	Grab sample*	Special Frequency 1	Grab sample			Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	
Zinc	milligrams per litre							Special Frequency 1	Grab sample	Each overflow event	Grab sample	Special Frequency 10	Grab sample	Quarterly	Grab sample	Quarterly	Grab sample	

Notes:

Special Frequency 1 - Quarterly if inflow within 12 hours of purging dry.

Special Frequency 8 - Every 6 hours

Special Frequency 10 - Quarterly, and daily during any discharge from points 33 or 34

Special Method 1 - Manual dip Special Method 4 - By calculation

Special Method 5 - Automated datalogger

Shaded grey - not required to be analysed

^aEPL20358 (issued 17 September 2015) contains inconsistencies in the required Units of Measure for Benzene, Toluene, Ethyl Benzene and Xylene. For consistency with laboratory data BTEX concentrations are reported here in micrograms per litre.

^bWeekly sampling from Monitoring Point 29 (Tiedman East Dam) only required if/when flowback water from the Waukivory Pilot Project is transferred to TED.

Groundwater and surface water monitoring results

Table 3: November 2015 water monitoring results for monitoring points 27 – 39

Analyte	Units of measure	Limit of reporting	Monitoring points	27	28	29	30	31	35	36	37	38	39
			Location	TND	TSD	TED	TMB04	TMB05	FSW01	ASW01	TSW01	TSW02	TMB01
			Sampled date	16/11/2015	16/11/2015	16/11/2015	17/11/2015	17/11/2015	17/11/2015	18/11/2015	17/11/2015	17/11/2015	17/11/2015
Aluminium	mg/L	0.01	0.02	0.03	0.02	0.02	0.07	0.16	0.71	0.21	0.29	<0.01	
Ammonia	mg/L	0.01	0.01	0.04	0.03	0.16	0.71	0.03	0.03	0.03	0.05	0.15	
Arsenic	mg/L	0.001	0.004	0.009	0.002	0.002	0.002	0.002	<0.001	<0.001	0.001	0.001	
Barium	mg/L	0.001	0.182	0.084	0.11	0.072	0.121	0.033	0.035	0.034	0.039	0.236	
Benzene	µg/L	1			<1	<1	<1	<1	<1	<1	<1	<1	
Beryllium	mg/L	0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
Bicarbonate	mg/L	1	152	68	148	104	41						
Boron	mg/L	0.05	0.09	0.08	0.1	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Cadmium	mg/L	0.0001	<0.0001	<0.0001	<0.0001	0.0002	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Calcium	mg/L	1	51	16	9	87	60	5	7	5	6	219	
Chloride	mg/L	0.1	88.5	77.2	133	2050	2330						
Chromium	mg/L	0.001						<0.001	<0.001	<0.001	<0.001	<0.001	
Cobalt	mg/L	0.001	<0.001	<0.001	<0.001	0.06	0.068	<0.001	<0.001	<0.001	<0.001	<0.001	
Copper	mg/L	0.001	<0.001	0.001	<0.001	0.003	<0.001	0.03	<0.001	0.002	0.003	<0.001	
Dissolved oxygen ^a	mg/L	0.01	0.45	0.4	0.43	5.43	4.12	7.96	8.81	10.48	4.54	1.57	
Electrical conductivity	µS/cm	1	955	850	904	7240	7480	178	169	178	250	8060	
Ethyl benzene	µg/L	2			<2	<2	<2	<2	<2	<2	<2	<2	
Iron	mg/L	0.05	<0.05	<0.05	<0.05	10.3	64.2	0.57	0.85	0.65	1.03	2.82	
Lead	mg/L	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.005	<0.001	<0.001	<0.001	<0.001	
Magnesium	mg/L	1	12	4	4	208	235	3	4	4	6	222	
Manganese	mg/L	0.001	0.004	0.002	0.009	10.1	22.1	0.023	0.03	0.038	0.048	1.06	
Mercury	mg/L	0.0001						0.0002	<0.0001	<0.0001	<0.0001	<0.0001	
Molybdenum	mg/L	0.001	0.004	0.032	0.006	0.002	0.002	0.012	<0.001	<0.001	<0.001	0.001	
Nickel	mg/L	0.001	0.001	0.004	<0.001	0.028	0.032	0.002	<0.001	0.001	0.002	0.039	
Nitrate	mg/L	0.01	<0.01	0.01	<0.01	0.05	<0.01	0.02	0.05	0.02	0.01	0.02	
Nitrite	mg/L	0.01	<0.01	<0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	
pH ^a	pH	0.01	7.86	10.12	9.76	5.93	5.88	6.92	7.17	6.82	6.64	6.53	
Phosphorus (total)	mg/L	0.01	0.77	0.41	0.4	0.09	0.11	0.11	0.1	0.17	0.13	0.02	
Potassium	mg/L	1	46	56	42	17	14	12	2	3	3	2	
Reactive phosphorus	mg/L	0.01	0.47	<0.01	<0.01	<0.01	<0.01						
Redox potential ^a	mV	0.1	33.2	20.4	43.3	45.4	-31	75.6	92.8	107.4	79	-66.8	
Selenium	mg/L	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Silica	mg/L	0.05						14.6	18.8	14.8	11.5	35	
Sodium	mg/L	1	113	131	162	1020	987	323	20	23	34	1140	
Sodium Adsorption Ratio	ratio	0.01		7.59									
Standing water level	m AHD	-				Refer to table 5	Refer to table 5						Refer to table 5
Strontium (dissolved)	mg/L	0.001	0.391	0.272	0.171	0.993	1	0.063	0.082	0.07	0.086	6.48	
Sulfate	mg/L	1	148	180	8	648	246	4	5	4	21	83	
Toluene	µg/L	2			<2	<2	<2	<2	<2	<2	<2	<2	
Total alkalinity	mg/L	1											427
Total dissolved solids	mg/L	10	562	527	507	4010	4480	228	170	183	302	5410	
Total organic carbon	mg/L	1	23	36	41	6	8						
Total suspended solids	mg/L	5						17	11	15	6		
Uranium	mg/L	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	
Vanadium	mg/L	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Xylene	µg/L	2			<2	<2	<2	<2	<2	<2	<2	<2	
Zinc	mg/L	0.005				0.168	0.188	0.015	0.005	0.009	0.011	0.015	

Shaded grey = not required to be analysed

^a measured with calibrated field meter

na - not analysed as no sample collected



Groundwater and surface water monitoring results

Table 4: November 2015 water monitoring results for monitoring points 40 – 52

	Monitoring points	40	41	42	43	44	45	46	47	48	49	50	51	52
	Location	TMB02	TMB03	S4MB01	TCMB01	TTMB02	SP1B ^b	SP2B ^b	SP4B ^b	SP6B ^b	SP7B ^b	SP8B ^b	SP9B ^b	SP10B ^b
	Sampled date	17/11/2015	17/11/2015	19/11/2015	19/11/2015	19/11/2015	16/11/2015	16/11/2015	16/11/2015	16/11/2015	16/11/2015	16/11/2015	16/11/2015	16/11/2015
	Date AGL obtained data	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015
Analyte	Units of measure													
Aluminium	mg/L	0.01	<0.01	<0.01	<0.01	<0.01	na							
Ammonia	mg/L	0.01	0.33	0.13	1.57	1.19	0.55	na						
Arsenic	mg/L	0.001	0.003	0.004	<0.001	<0.001	<0.001	na						
Barium	mg/L	0.001	0.209	0.906	4.2	7.65	0.706	na						
Benzene	µg/L	1	<1	<1	<1	<1	na							
Beryllium	mg/L	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	na						
Bicarbonate	mg/L	1												
Boron	mg/L	0.05	<0.05	<0.05	0.15	<0.05	<0.05	na						
Cadmium	mg/L	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	na						
Calcium	mg/L	1	184	148	294	254	191	na						
Chloride	mg/L	0.1												
Chromium	mg/L	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	na						
Cobalt	mg/L	0.001	0.005	0.002	<0.001	<0.001	<0.001	na						
Copper	mg/L	0.001	<0.001	<0.001	<0.001	0.004	<0.001	na						
Dissolved oxygen ^a	mg/L	0.01	2.56	2.19	1.9	1.29	3.65	na						
Electrical conductivity	µS/cm	1	3840	5730	4840	3070	2390	na						
Ethyl benzene	µg/L	2	<2	<2	<2	<2	<2	na						
Iron	mg/L	0.05	1.31	6.97	0.8	1.66	2.11	na						
Lead	mg/L	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	na						
Magnesium	mg/L	1	125	89	53	73	53	na						
Manganese	mg/L	0.001	1.75	1.08	0.177	0.03	0.098	na						
Mercury	mg/L	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	na						
Molybdenum	mg/L	0.001	0.001	<0.001	<0.001	0.002	0.002	<0.001	na	na	na	na	na	na
Nickel	mg/L	0.001	<0.001	<0.001	0.002	0.002	0.002	<0.001	na	na	na	na	na	na
Nitrate	mg/L	0.01	0.01	<0.01	0.03	0.02	0.02	na						
Nitrite	mg/L	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	na						
pH ^a	pH	0.01	6.32	6.66	7.35	7.11	6.65	na						
Phosphorus (total)	mg/L	0.01	0.04	<0.01	0.06	0.02	0.28	na						
Potassium	mg/L	1	2	3	6	5	4	na						
Reactive phosphorus	mg/L	0.01												
Redox potential ^a	mV	0.1	-27.1	-6.6	-179	-154.1	-114.3	na						
Selenium	mg/L	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	na	na	na	na	na	na
Silica	mg/L	0.05	33.9	30.1	26.9	20.6	34.5	na						
Sodium	mg/L	1	836	461	673	290	240	na						
Sodium Adsorption Ratio	ratio	0.01												
Standing water level	m AHD	-	Refer to table	5	Refer to table	5	Refer to table	5	Refer to table	na	na	na	na	na
Strontium (dissolved)	mg/L	0.001	5	3.82	21.3	13.3	2.88	na						
Sulfate	mg/L	1	21	229	70	<1	58	na						
Toluene	µg/L	2	<2	<2	<2	<2	<2	na						
Total alkalinity	mg/L	1	127	413	368	270	348	na						
Total dissolved solids	mg/L	10	2480	3360	3230	2430	1710	na						
Total organic carbon	mg/L	1												
Total suspended solids	mg/L	5												
Uranium	mg/L	0.001	0.012	<0.001	0.001	<0.001	<0.001	na						
Vanadium	mg/L	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	na						
Xylene	µg/L	2	<2	<2	<2	<2	<2	na						
Zinc	mg/L	0.005	0.018	0.011	<0.005	0.01	0.011	na						

Shaded grey = not required to be analysed

^a measured with calibrated field meter

^b No water present at this location at the time of sampling

na - not analysed as no sample collected



Table 5: Continuous monitoring results for monitoring points 30, 31, 33, 34, 39 - 44

Monitoring point	33	34	30	31	39	40	41	42	43	44
Location	CDE	CDW	TMB04	TMB05	TMB01	TMB02	TMB03	S4MB01	TCMB01	TTMB02
Data type	Electrical conductivity Standing water level									
Units	$\mu\text{S}/\text{cm}$ mAHD									
Data date range	24/08/2015 – 17/11/2015		08/10/2015 – 16/11/2015		08/10/2015 – 17/11/2015			08/10/2015 – 19/11/2015		
Date data downloaded	17/11/2015	17/11/2015	16/11/2015	16/11/2015	17/11/2015	17/11/2015	17/11/2015	19/11/2015	19/11/2015	19/11/2015
Date data supplied to AGL	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015	11/12/2015
Monitoring frequency required by EPL 20358	Every 6 hours	Every 6 hours	Every 6 hours	Every 6 hours	Every 6 hours	Every 6 hours	Every 6 hours	Every 6 hours	Every 6 hours	Every 6 hours
Actual monitoring frequency	Every 1 hour	Every 1 hour	Every 6 hours	Every 6 hours	Every 6 hours	Every 6 hours	Every 6 hours	Every 6 hours	Every 6 hours	Every 6 hours
No. of times measured during monitoring period	2055	2055	159	159	162	163	163	170	170	170
Min. value	15	170	113.2	118.9	102.4	102.6	103.5	112.9	113.7	113.9
Mean value	226	490	113.3	119	102.7	102.7	103.6	113	113.7	114
Median value	233	460	113.3	119	102.7	102.7	103.6	113	113.7	113.9
Max. value	513	1010	113.3	119	103.4	102.9	103.7	113.1	113.8	114



References

- AGL, 2012a. Water Management Plan for the Tiedman Irrigation Program AGL. Available online: <http://www.agl.com.au/~/media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/CSG%20and%20the%20Environment/Gloucester/Plans%20and%20Proposals/2013/May/AGL%20WMP%20Tiedman%20Irrigation%20V1%203%20140512%20Final%20Compiled%20LowRes.pdf>
- AGL, 2012b. Soil Quality Monitoring and Management Program. Available online: <http://www.agl.com.au/~/media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/CSG%20and%20the%20Environment/Gloucester/Plans%20and%20Proposals/2013/May/Gloucester%20Soil%20Management.pdf>
- Environment Protection Authority (EPA), 2004. Approved Methods for the Sampling and Analysis of Water Pollutants in New South Wales, The Department of Environment and Conservation, Sydney, Australia. Available online: <http://www.environment.nsw.gov.au/resources/water/approvedmethods-water.pdf>
- Parsons Brinckerhoff (PB) 2012. Phase 2 Groundwater Investigations – Stage 1 Gas Field Development Area, Gloucester Gas Project. Report dated January 2012, PR_5630. Available online: <http://www.agl.com.au/~/media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/CSG%20and%20the%20Environment/Gloucester/Assessments%20and%20Reports/2012/January/PB%20Gloucester%20Groundwater%20Report%20Phase%202%20Appendices%20E-P.pdf>
- Parsons Brinckerhoff (PB) 2013a. Gloucester Gas Project – Tiedman Irrigation Trial Baseline Water Monitoring Program. Report dated January 2013, 2162406D PR_6306. Available online: http://www.agl.com.au/~/media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/CSG%20and%20the%20Environment/Gloucester/Plans%20and%20Proposals/2013/May/Gloucester%20Irrigation_PR.pdf
- Parsons Brinckerhoff (PB) 2013b. Tiedman Irrigation Trial – August 2013 Water Compliance Report, Gloucester Gas Project. Report dated August 2013, 2162406F-WAT-RTP-7408 RevC. http://www.agl.com.au/~/media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/CSG%20Community%20News/Gloucester/Community%20Updates/2013/September/2162406F%20WAT%20RPT%207408%20FINAL_LowRes.pdf
- Parsons Brinckerhoff (PB) 2014a. Tiedman Irrigation Program – Water Compliance Report for the Period 1 July to 31 December 2013, Gloucester Gas Project. Report dated January 2014, 2162406F-WAT-RPT-7674 RevB. Available online: http://www.agl.com.au/~/media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/CSG%20and%20the%20Environment/Gloucester/Assessments%20and%20Reports/2014/20140131_Tiedman%20Irrigation%20Program%20%20Water%20Compliance%20Report.pdf
- Parsons Brinckerhoff (PB) 2014b. Tiedman Irrigation Program – Water Compliance Report for the Period 1 January to 4 July 2014, Gloucester Gas Project. Report dated August 2014, 2162406F-WAT-RPT-7674 001 RevD. Available online: http://www.agl.com.au/~/media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/Gloucester%20Document%20Repository/Irrigation%20Program/20140828_Tiedman%20Irrigation%20Program%20%20Water%20Compliance%20Report.pdf
- Parsons Brinckerhoff (PB) 2015a. Tiedman Irrigation Program – Water Compliance Report for the Period 1 January to 3- June 2015, Gloucester Gas Project. Report dated 13 August 2015, 2268517A-WAT-RPT-001 Rev C. Available online: http://www.agl.com.au/~/media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/Gloucester%20Document%20Repository/Irrigation%20Program/20150226_Tiedman%20Irrigation%20Program%20%20Water%20Compliance%20Report.pdf
- Parsons Brinckerhoff (PB) 2015b. Tiedman Irrigation Program – Water Compliance Report for the Period 5 July – 31 December 2014, Gloucester Gas Project. Report dated February 2015, 2268517B-WAT-RPT-001 Rev D. Available online: http://www.agl.com.au/~/media/AGL/About%20AGL/Documents/How%20We%20Source%20Energy/Gloucester%20Document%20Repository/Irrigation%20Program/20150813_Tiedman%20Irrigation%20Program%20%20Water%20Compliance%20Report%20for%20the%20Period%201%20Jan%20to%2030%20June%202015.pdf



The State of NSW and Environment Protection Authority (EPA), 2012. Requirements for publishing pollution monitoring data. Environment Protection Authority, Sydney, Australia. Available online: <http://www.epa.nsw.gov.au/resources/licensing/130742reqpubpmdata.pdf>