
Annual Safety Standards Report

Dams Safety NSW

Liddell Ash Disposal Dam - 173

Saltwater Creek near Muswellbrook

Date of report: 12/02/2026

Introduction

The Annual Dams Safety Standards Report demonstrates the declared dam owner's compliance with the dam safety standards set out in the Dams Safety Regulation 2019 (the Regulation).

Every year, declared dam owners must lodge a separate report for each of their declared dams with Dams Safety NSW by 31 March.

The report covers the period 1 January to 31 December of the previous calendar year.

Section 1 - Declared dam identification details

Question	Answer
Dam name	Liddell Ash Disposal Dam
Dam location	Saltwater Creek near Muswellbrook
Type of dam	Earthfill
Main purpose of dam	Impound Coal Ash
Other	
Is the dam built on a river, stream or watercourse?	Yes
Name of dam owner (Person or public authority who owns, controls, operates, manages or maintains the dam)	AGL Macquarie Pty Ltd
ABN number	167859494

Section 2 - Dams safety standards

Consequence category of dam - Regulation, Part 3

The dam consequence category is a rating of potential impacts resulting from a dam failure. It must be assessed:

- within 6 months of the dam being declared
- at least once every 15 years
- after any significant change in the number of people likely to be affected by a dam failure
- or if required by Dams Safety NSW. [Regulation, subclause 7 \(2\).](#)

Question	Answer
Dam consequence category	High A
Has an independent review been done?	Yes
Name of independent reviewer	Dr Rainer Berg - Senior Technical Director:Hydrology, Stormwater and Flooding GHD
Why has no independent review been done?	
Do you know the date of the last consequence category assessment by a competent person?	Yes
Regulation, subclause 3 (1).	
Date of the last consequence category assessment	29/11/2023
Date of next planned consequence category assessment	29/11/2039
Has the number of people likely to be affected by a dam failure changed since the last consequence category review?	No

If the consequence category has recently changed you must submit the current consequence category assessment to DSNSW for review.

Section 2 continued - Dams safety standards

How was this checked?

Dam owner local knowledge

Other

Documenting the dam safety management system

Question	Answer
Is the dam safety management system fully documented?	Yes
If no, what percentage of the dam safety management system documentation is complete?	
How did you confirm this percentage?	
Does the dam safety management system apply to more than one dam?	Yes

Implementing the dam safety management system

Question	Answer
Is the dam safety management system fully implemented at this dam?	Yes
If no, what percentage of the dam safety management system is implemented?	
How did you confirm this percentage?	

Section 2 continued - Dams safety standards

Dam safety management system review

Question	Answer
Since implementing your dam safety management system, have you reviewed it?	Yes
Date of last review	23/12/2025

Assessment of societal and individual risk rating

The owner of a declared dam (other than a proposed dam) must use the risk management framework, [Regulation Part 5, clause 14](#) to produce a written report on all foreseeable risks to the dam:

- at least once every 5 years
- when a major change to the dam is proposed, and
- after any significant change in the number of people likely to be affected by a dam failure
- when required by Dams Safety NSW. [Regulation, clause 15.](#)

Question	Answer
Do you know the date of your last risk report?	Yes
Date of last risk report	27/12/2023
Date of next planned risk report	12/12/2028
Is your dam above the safety threshold as identified in the Risk report?	No
Individual risk rating of the dam	3.36E-05
Societal risk rating of the dam	2.55E-04

Section 2 continued - Dams safety standards

Name of competent person and their organisation who signed off the risk report (if risk report recommenced after 1 July 2022)

Kapil Singh, Aurecon

Name of independent competent person and their organisation who reviewed the report (if risk report commenced after 1 July 2022 - for an extreme, high A or high B consequence dam)

Dr Rainer Berg - Senior Technical Director: Hydrology Stormwater and Flood - GHD

Other safety requirements - Regulation, Part 6

The declared dam owner must report incidents that happen at or in relation to the dam to Dams Safety NSW. [Regulation, clause 19](#)

Question	Answer
Have you had any reportable incidents during the last calendar year?	Yes
How many incidents?	1
Topic/subject of the incident(s)	g) any change in the dam or its surrounds that is abnormal and could indicate an increased risk of the failure of the dam

Section 2 continued - Dams safety standards

Safety review

The declared dam owner must ensure that a safety review to assess the overall safety of the dam is undertaken by:

- for an extreme or high consequence dam, other than a high C consequence dam—a team of at least 2 competent persons, or
- otherwise—a competent person

The declared dam owner must ensure that a safety review is carried out at least once every 15 years, and as soon as practicable after:

- a deficiency or weakness in the dam is identified
- there is a change in the accepted technology or methods used in one of the relevant specialties or design criteria for dams
- the dam consequence category changes, or
- it is required by Dams Safety NSW. [Regulation, clause 20](#)

Question	Answer
Do you know the date of last safety review ? Regulation, subclause 20(2)	Yes
Date of last safety review	29/11/2024
Planned date for next safety review	29/11/2029

For extreme and high consequence dams only

If the dam's consequence category is extreme, high A or high B, the safety review must be reviewed by a panel of at least 2 independent competent persons. [Regulation, subclause 20\(6\)](#)

Question	Answer
If Safety Review commenced after 1 July 2022 - names of independent competent reviewers and their organisation	Dr Rainer Berg - Senior Technical Director: Hydrology Stormwater and Flood - GHD

Section 2 continued - Dams safety standards

If the dam's consequence category is high C, the safety review must be reviewed by an independent competent person. [Regulation, subclause 20\(6A\)](#).

Question

Answer

Name of independent competent reviewed and their organisation

Notification of significant changes to the dam

Before making any significant change to the configuration of the declared dam that may affect the safety of the dam, the dam owner must inform Dams Safety NSW of the proposed change in writing.

[Regulation, clause 21](#)

Question

Answer

Has any significant change to the configuration of the dam been made during the last calendar year? No

Describe the change

Is any significant change to the configuration of the dam planned? No

Describe the change and when is it planned?

Other

Date

Section 2 continued - Dams safety standards

Emergency exercises

The declared dam owner must ensure that staff who are involved in the operation of the dam undertake emergency exercises at least once every 3 years. [Regulation, clause 22](#)

Question	Answer
Have you done a 'theoretical classroom' emergency exercise?	Yes
Date of last 'theoretical classroom' emergency exercise Regulation, subclause 22(1)	21/11/2024
Planned date for next 'theoretical classroom' emergency exercise	21/11/2027

For extreme or high consequence dams only

The declared dam owner must ensure that staff who are involved in operating the dam undertake practical emergency exercises at least once every 5 years, where possible including relevant agencies identified in the emergency plan. [Regulation, subclauses 22 \(3\) and 22 \(4\)](#)

Question	Answer
Have you done a practical emergency exercise?	Yes
Date of last practical emergency exercise	21/11/2024
Planned date for next practical emergency exercise	21/11/2029

Section 2 continued - Dams safety standards

Design and construction

Dam safety management system for design and construction

Question	Answer
Does the dam safety management system cover dam design and construction? Regulation, Clause 12(3) .	
Was the risk management framework used or is it currently being used to prepare a risk report at the dam design stage? Regulation, clause 15(2) .	
Certain work must be carried out by a person subject to a quality management system. Regulation, subclause 23(1) .	
Question	Answer
Have you ensured that design and construction are carried out by a person subject to an AS ISO 9001:2016 quality management system?	Yes
Independent competent persons must review work involving dam design. Regulation, clause 24	
Question	Answer
For Extreme and High consequence category dams, provide the name of the independent person(s) and their organisation who reviewed or are reviewing the design Regulation, clause 24	
For dams still in an early design phase, have you planned an independent competent person design review?	

Section 3 - Additional information for Dams Safety NSW

Question	Answer
Date of last Emergency Plan review	31/12/2025
Date of last Operations and Maintenance Plan review	31/12/2025
Is last year's Annual Dams Safety Standards Report published on your website?	Yes
Provide the link to the report	https://www.agl.com.au/about-agl/operations/agl-in-the-hunter/environment


Section 4 - Attestation

The Attestation of the information provided in the form must be completed by the dam owner office holder(s):

Dam owner	Attesting office holder(s)
Local Council	General Manager
Company	• 2 directors, or • 1 director and 1 company secretary • The combined director and company secretary (where there is only 1 director)
Statutory state-owned corporation	Chief Executive Officer or Managing Director responsible for managing the operation of the statutory state-owned corporation in accordance with the general policies and specific directions of the board
Statutory corporation	Corporation with 2 or more members: • President, chairperson or another principal officer of the corporation • Sole corporation • The person who constituted the constitution • The person managing the affairs of the corporation
Government department	Secretary
Individual	Individual

Section 4 - Attestation continued

Declared dam owner office holder(s) attesting to the accuracy of this report

Name of declared dam owner office holder attesting to the accuracy of this report	Suzanna Dabski
Position of declared dam owner office holder attesting to the accuracy of this report	Company Secretary
Signature	
Name of declared dam owner office holder attesting to the accuracy of this report	Matthew Currie
Position of declared dam owner office holder attesting to the accuracy of this report	Chief Operations & Construction Officer
Signature	

Copyright

© Crown in the right of NSW through the Department of Planning and Environment 2023. This publication is copyright. Other than for the purposes of an subject to the conditions prescribed under the Copyright Act, no part of it may, in any form or by any means, be reproduced, altered, manipulated, stored in a retrieval system or transmitted without prior written consent of the copyright owner. Any inquiries relating to consents and use of this publication, including by NSW Government Agencies must be addressed to **Dams Safety NSW**.